

Universität Leipzig
Fakultät für Mathematik und Informatik
Institut für Informatik

Reasoning about Rational, but Not Logically Omniscient Agents

Diplomarbeit

Leipzig
im April 1996

vorgelegt von
Ho Ngoc Duc

Zusammenfassung

Die vorliegende Arbeit untersucht das sogenannte “logische Allwissenheitsproblem” (Logical Omniscience Problem) der epistemischen Logik und schlägt einen neuen Ansatz zur Lösung des Problems vor.

Die epistemische Logik, die ursprünglich als eine Teildisziplin der philosophischen Logik entwickelt wurde ([14]), findet heute Anwendung in so unterschiedlichen Gebieten wie Philosophie, Sprachwissenschaft, Wirtschaftswissenschaft und Informatik. In der Informatik und der Künstlichen Intelligenz ist die epistemische Logik einer der Hauptformalismen zur Wissensrepräsentation und zur Spezifikation von Multiagentensystemen geworden.

Allerdings ist es eine sehr umstrittene Frage, ob die epistemische Logik für diese Anwendungen geeignet ist. Kritiker behaupten, daß die epistemische Logik die Begriffe des Wissens und des Glaubens nicht adäquat erfassen kann und folglich für die Repräsentation von Wissen ungeeignet ist. Ihre Behauptung gründet sich auf der Tatsache, daß die meisten Systeme der epistemischen Logik sehr starke Idealisierungen hinsichtlich der logischen Fähigkeiten der epistemischen Subjekte (englisch: agents) machen. Es wird z. B. angenommen, daß die epistemischen Subjekte alle logischen Wahrheiten kennen, oder daß sie alle logischen Konsequenzen einer Aussage kennen, wenn sie diese Aussage glauben. Dieses Problem ist als das “logische Allwissenheitsproblem” (Logical Omniscience Problem) bekannt.

Es gibt in der Literatur eine Reihe von Ansätzen, dieses Problem zu lösen. Fast alle vorgeschlagenen Lösungen verfolgen die Strategie, schwächere modale Systeme zu betrachten. Ich werde zeigen, daß diese Lösungen unbefriedigend sind: in dieser Weise kann logische Allwissenheit vermieden werden, aber viele Intuitionen über die Begriffe Glauben und Wissen gehen verloren. Also können auch die schwächeren epistemischen Systeme die genannten Begriffe nicht adäquat erfassen.

Ein anderer Lösungsansatz wird vorgeschlagen. Ich werde argumentieren, daß sich die Hauptprobleme der epistemischen Logik in einem statischen Rahmen nicht lösen lassen. Um diese Probleme zu lösen, müssen wir auch die Denktivitäten der epistemischen Subjekte in Betracht ziehen. Zur Modellierung von Wissen (und Glauben) brauchen wir

eine dynamische epistemische Logik. Ich werde zeigen, daß Axiome der epistemischen Logik die folgende Form haben muß: wenn alle Prämissen einer gültigen Schlußregel gewußt (geglaubt) werden und wenn das Subjekt die notwendige Folgerung vollzieht, dann weißt (glaubt) es auch die Konklusion. Um diese Idee zu formalisieren, schlage ich vor, die epistemische Logik zu “dynamisieren”, d.h., eine dynamische Komponente in die Sprache einzuführen. An einem Beispiel wird erläutert, wie die “Dynamisierung” der epistemischen Logik realisiert werden kann.

Die Arbeit ist eine erweiterte Fassung meiner Publikation [4]. Eine Zusammenfassung dieser Diplomarbeit erscheint als [5].

Contents

1	Introduction and Preliminaries	5
2	Strategies to Avoid Logical Omniscience	10
3	Dynamizing Epistemic Logic	15
4	Dynamic Epistemic Logic	19
5	Discussions	25
A	Formal Proofs	31
	A.1 Proof of Theorem 9	31
	A.2 Proof of Theorem 11	32
	A.3 Proof of Theorem 13	33

1 Introduction and Preliminaries

Epistemic logic, or the logic of the concepts of knowledge and belief, has established as an autonomous branch of logic since the work of Hintikka ([14].) The subject has been studied extensively by philosophers, linguists, economists, and, more recently, computer scientists. (For recent reviews and extensive bibliographies on the subject, see e.g., [10], [11], [8].) In computer science and artificial intelligence epistemic logic has been used for analyzing distributed systems, for knowledge representation, or for the specification of multi-agent systems.

However, it is a very controversial matter whether epistemic logic is suitable for these purposes. Most systems of epistemic logic have been developed in analogy to modal logic. This approach has clearly some advantages. Many results and methods of modal logic can be transferred to epistemic logic, notably the techniques of the possible worlds semantics. There are, however, severe objections against the modal approach in epistemic logic. The most serious problem of this approach is perhaps the so-called “logical omniscience problem (LOP).” It can be described informally as follows. According to the standard approach, the agent should be an ideal logician and reasoner in the following sense: she knows all logical truths, can (actually) draw all consequences of a certain sentence and can identify all logical equivalences of a given sentence. Such requirements are clearly too strong for a real agent, human or non-human. Thus, the standard systems cannot capture the notion of knowledge and belief adequately. The problem of logical omniscience is a severe obstacle for the applicability of epistemic logic. For that reason, many attempts have been undertaken to solve this problem. The goal of my paper is to assess how successful these attempts can be and then to propose another solution to the LOP.

Before going on, let us state the problem more precisely. In the paper I consider the concept of knowledge only, but the main arguments apply to the concept of belief, too. By “modal epistemic logic” I mean, as proposed by Wuttich in [25], those systems of epistemic logic which are developed in the modal tradition. Let us assume a set Agt of n agents. The language of modal epistemic logic is built up from a set At of propositional letters using the usual Boolean connectives of negation and implication and the operators K_i , each for one agent i . In the AI community the systems $S4_n$ and $S5_n$ are most often considered as logics of rational knowledge for the case of n agents. They consist of n copies

of the modal systems S4 and S5, respectively. Formally:

Definition 1 (The language of epistemic logic) Let At be a set of atomic formulae and $Agt = \{1, \dots, n\}$ a set of agents. L_E is the least set such that

1. $At \subseteq L_E$
2. If $A \in L_E$ then $\neg A \in L_E$
3. If $A \in L_E$ and $B \in L_E$ then $(A \rightarrow B) \in L_E$
4. If $A \in L_E$ and $i \in Agt$ then $K_i A \in L_E$

The intended interpretation of the formula $K_i A$ is that the agent i knows that A . The other truth-functional connectives are defined as usual. An objective formula is one that does not contain any knowledge operator. We adopt the standard conventions concerning the use of parentheses.

Definition 2 (The logics S4_n and S5_n) The modal epistemic logic S5_n (for the case of n agents) has the following axiom schemata:

PC. All theorems of the propositional calculus (PC).

$$K. K_i(A \rightarrow B) \rightarrow (K_i A \rightarrow K_i B)$$

$$T. K_i A \rightarrow A$$

$$4. K_i A \rightarrow K_i K_i A$$

$$5. \neg K_i A \rightarrow K_i \neg K_i A$$

The rules of inference are:

MP. Modus ponens: if A and $A \rightarrow B$ are theorems then B is a theorem.

NEC. Necessitation: if A is a theorem then so is $K_i A$.

The logic $S4_n$ is obtained by dropping the axiom schema 5 from the above axiomatization of $S5_n$.

The notions of proof, of theoremhood etc. with respect to a system S of modal epistemic logic is defined as usual. The symbol $\vdash_S A$ is used to denote the fact that A is a theorem of S . A formula A is said to be an S -consequence from a set X of formulae, denoted $X \vdash_S A$, just in case there are some $B_1, \dots, B_m \in X$ such that $B_1 \wedge \dots \wedge B_m \rightarrow A$ is a theorem of S . If the system in consideration is clear from the context, we can omit the index and write $X \vdash A$ instead.

Axiom **K** says that an agent's knowledge is closed under modus ponens. Axiom **T** states that knowledge implies truth. (It follows that an agent's knowledge is consistent.) The axioms 4 and 5 are called positive and negative introspection axioms, respectively. They say that an agent is aware of what she knows and what she does not know. It is generally accepted that negative introspection is a more demanding condition than positive introspection. Therefore many researchers argue that it is more reasonable to adopt $S4_n$ as the logic of knowledge. In case one needs to distinguish between knowledge and belief, one can drop the schema **T** or replace it by the weaker axiom **D**, that is, the schema $K_i A \rightarrow \neg K_i \neg A$. The system obtained from $S5_n$ by replacing the schema **T** by the schema **D** is known as $KD45_n$ and is considered by many researchers as the standard logic of rational belief. Besides these three systems sometimes other systems are also considered. The minimal normal modal system, containing **K** as the only modal axiom, is called the system K_n , or just **K** in the case of one agent.

It is well-known that the most common systems of modal epistemic logic can be determined by suitable classes of Kripke models with n accessibility relations. In particular, the accessibility relations of $S5_n$ -models are equivalence relations, those of $S4_n$ -models are reflexive and transitive, and $KD45_n$ -models are serial, transitive, and Euclidean (cf. [2], [9], [12].)

The logical omniscience problem for modal epistemic logic can be stated as follows. The following inference rules are valid for $S5_n$ and related systems:

NEC. If A is a theorem then so is $K_i A$

MON. If $A \rightarrow B$ is a theorem then so is $K_i A \rightarrow K_i B$

CGR. If $A \leftrightarrow B$ is a theorem then so is $K_i A \leftrightarrow K_i B$

The three rules NEC, MON, CGR are called necessitation rule, monotony rule, and congruence rule, respectively. They are provable when the schema K and the necessitation rule are assumed, that is, in the minimal modal system K_n already. An agent who is described by such a logic is said to be logically omniscient, because she knows all logical truths (according to NEC), she knows all logical consequences of a sentence that she knows (according to MON), and she can identify all logical equivalent sentences of a given sentence, according to CGR. Such an agent cannot be a real one. No human agent has such reasoning capacities. We cannot build artificial agents that possess the reasoning power described by $S5_n$ and related systems. If we consider real agents and ask what they *actually* know, we can check empirically that an agent's knowledge is often not closed any logical law. Realistic agents may know a very restricted set of logical laws. They know only some, but not all logical consequences of their knowledge. We cannot realistically expect an agent's knowledge to be closed under even very elementary logical laws, e.g., modus ponens. That is, even the axiom schema K is a strong idealization. Modal epistemic logics do not capture the notions of knowledge and belief adequately.

If we agree that modal epistemic logics do *not* describe what agents actually know, we can ask the question: what *do* they describe then? Well, they are logics of a related, but different concept. It is remarked by several authors that the laws of these systems are much more acceptable if the formula $K_i A$ is read “the agent i knows A implicitly” ([19], [7],) “the agent i carries the information A ” ([1],) or “the agent i possibly knows A ”, instead of “agent i knows A ”. Modal epistemic logics should be interpreted as logics of possible, or implicit knowledge, and not as logics of actual, or explicit knowledge.

For reasoning about agents the concept of actual knowledge is much more important than that of possible knowledge. In order to predict or to explain an agent's actions we need to know what the agent actually knows, and not what she possibly knows. For modeling realistic agents we need other logics which are capable of capturing the concept of actual knowledge. Such logic may not suffer from the LOP. In the next section we shall discuss some common ways to solve this problem. After showing that the strategy of weakening epistemic logic has many disadvantages I shall propose an alternative approach to the problem. The intuitions of my strategy will be explained in section 3. A formal system which can cope with the problems of the traditional approaches will be developed in

section 4 following the new strategy. The paper closes with a discussion of related works, open problems and directions for future work.

2 Strategies to Avoid Logical Omniscience

An obvious strategy to solve the logical omniscience problem is to weaken epistemic logic. One denies the universal validity of the mentioned inference rules NEC, MON, and CGR, or one of the essential axioms like K. In fact, almost all attempts to solve the LOP have in common that they consider systems that are weaker than the standard modal epistemic logics (cf. [3], [6], [7], [15], [19], [22], [23], [24], [25].) One can construct systems that falsify either the inference rules or the axioms of the standard modal systems. For example, modal systems which are not normal can be used to describe an agent who does not know all logical truths. If we use neighborhood semantics instead of Kripke semantics, we can get weaker modal systems (the so-called classical systems) for which neither the rule NEC nor the axiom schema K is valid, therefore the agents' knowledge is not closed under logical consequence (cf. [2], [23].) In this way, the original version of the LOP could be solved. But here some care is needed: some systems solve the original version, but not other versions of the LOP. If the monotony rule and/or the congruence rule are valid for a system, or if an agent does not know all theorems of classical logic, but knows all theorems of another (nontrivial) logic, then the agent in this system must still be viewed as ideal: real agents simply never achieve such reasoning capacities which can be described by such a system. For example, the agent described by the minimal classical modal system E (cf. [23], [2]) knows all logical equivalences of a sentence she knows. An agent in Levesque's logic ([19]) does not know all truths of classical logic, but she knows all theorems of a relevance logic. In the same way, an agent in Ho Ngoc Duc's system ([3]) does not know all classical theorems, but knows all theorems of a three-valued logic. Such attempts cannot be considered satisfactory solutions to the LOP.

A number of systems have been proposed which assume still more restricted reasoning capacities of the agents. To construct such a system we can postulate, for example, that the agent only knows some "obvious" logical truths, but not necessarily the "more complicated" ones. We can assume that the agent can draw all "obvious" consequences, but not any arbitrary consequence of a certain sentence. We can do it by postulating that the deduction mechanism of the agents is not complete, that is, it is not powerful enough to allow the agents to draw all logical consequences of their knowledge. The regularities of an agent's knowledge could be formalized by a set of suitable axioms. The more axioms are postulated,

the more rational is the agent. With the aid of weak epistemic logics we can classify the agents according to their logical capacities. This approach is pursued by Stelzner in his “parametrized epistemic logic” ([24],) or Konolige in his “deduction model” ([17].) If the agent’s inference mechanism is kept very weak, then logical omniscience could be avoided. Besides this axiomatic approach we can also pursue a more semantical approach. One can show that logical omniscience can be avoided if one allow “impossible possible worlds” in which the valuation of the sentences of the language is arbitrary. In other words, the logical laws do not hold in the “impossible possible worlds” ([23], [22]). Another solution is to introduce a new operator of awareness into the language and to require that belief include awareness ([7].) Because it is possible that the agent is aware of some sentence but she is not aware of its logical consequences or its equivalent sentences, the theorems and inference rules of modal epistemic systems do not hold in general.

Although the deduction model, the approach with impossible possible worlds and the approach with the awareness operator solve the LOP technically, they cannot be regarded satisfactory. New problems arise in these approaches besides the old problems of the possible worlds approach. Here I shall not discuss these problems in details, nor shall I try to improve any of these approaches. I shall rather present a more fundamental criticism of the common strategy of all these approaches, namely the strategy of weakening epistemic logic.

The discussion of the logical omniscience problem in the literature has concentrated mainly on the issue: in which way can logical omniscience be avoided. But the LOP has another aspect which is often overlooked in the discussion: what is left if one restricts the reasoning capacities of the agents, for example by denying the validity of the rules NEC, MON and CGR or of the axiom schema K? Is there still a reasonable way to describe an agent’s knowledge if the regularities of the agent’s knowledge is too weak to be described by these axioms and rules?

An attempt to cope with this challenge is to postulate axioms which describe the regularities of the agent’s knowledge. Such axioms shall express the intuitive idea that the agent is somehow rational, or logical. The axioms are generally of the form: the belief set of the agent is closed under a certain valid rule of inference of logic, i.e., if all premises of the rule are known, then the conclusion is known. (This is also the general form of a theorem of a standard epistemic logic.) In this way we can get subsystems of the logic K which do not suffer from the LOP. Let us see

how far such a strategy may take us. We consider a simple example of a ultra-weak epistemic logic.

Definition 3 Let L be the logic whose axioms consist of all theorems of the propositional calculus (PC) and all instances of the schema K . The only inference rule of L is modus ponens.

L is thus the system obtained from the smallest normal system K by dropping the Necessitation rule (without any substitute!) L is a very weak epistemic logic lying between PC and K . It describes an agent, or more correctly, a class of agents who can only use modus ponens reliably: whenever they know the premisses of modus ponens then they can infer the conclusion (i.e., if $K_i A$ and $K_i(A \rightarrow B)$ then $K_i B$.) It is not required that such an agent know any other inference rule or axiom. It is clear that the agent lacks logical omniscience.

It is possible to find an adequate semantics for L using impossible possible worlds. However, we can also provide L with a simple truth-functional semantics.

Definition 4 An L -evaluation is a function V from the set L_E of formulae to the set $\{0, 1\}$ of truth-values, which satisfies the following conditions for arbitrary formulae:

- $V(\neg A) = 1$ if and only if $V(A) = 0$
- $V(A \rightarrow B) = 0$ if and only if $V(A) = 1$ and $V(B) = 0$
- If $V(K_i A) = 1$ and $V(K_i(A \rightarrow B)) = 1$ then $V(K_i B) = 1$

The first two clauses guarantee that all classical theorems are valid, and the last one ensures the validity of the axiom schema K . It can be seen easily that if a formula is provable in L then it has the value 1 under all L -valuations. It turns out that the converse is also true, that is, the system L is complete with respect to the given semantics.

Theorem 5 If $V(A) = 1$ for all L -valuations V then A is L -provable.

Proof (Sketch) If A is not a theorem of L , then $\neg A$ is L -consistent. Therefore $\neg A$ is contained in a maximal L -consistent set X , by the standard Henkin argument. The valuation V defined by $V(A)=1$ iff $A \in X$ for all $A \in L_E$ satisfies the three conditions above, as we can check easily. Thus, V is an L -valuation and V is a model of $\neg A$. By contraposition we have the desired result.

As the example of system L shows, the strategy of weakening epistemic logic allows us to consider agents who are very restricted in their reasoning capacities. We can describe and classify them according to their rationality. We would have a hierarchy of agents: some agents are ideal, who are modelled by the logic K or its extensions, others are less ideal and can be described by, e.g., the logic L. The agents described by the intermediate systems between L and K are not as ignorant as those of L, neither are they ideal reasoners as those of K.

The strategy of weakening epistemic logic solves the logical omniscience problem. However, the disadvantages cannot be overlooked. First, this approach is only suited to analyze static knowledge, that is, we can at most describe the knowledge sets at one single time point. This is of course not a deficiency of these logics alone, but of most epistemic logics developed up to now. Second, the categories of agents we describe and classify by our logics are merely imaginary: they do not exist in reality. It is very implausible to assume that there are agents who always think in some fixed patterns which can be captured by one of our logics. Each agent represents rather some mixture of several logics, at some time point they can be described by one, at other time points by another, and still at other by none of our logics at all. Third, given the information that an agent's knowledge includes a set X of sentences, in reality we can never infer reliably that the agent knows all sentences of the deductive closure $cl_S(X)$ of X with respect to a deductive system S , even if we suppose S to be very weak (but not degenerate in the sense that $cl_S(X) = X$.) This point has led many people to raise the question if epistemic logic is possible at all, or do we have to leave the realm of logic when reasoning about knowledge and belief ([16], [1].) Fourth, we have the feeling that our logics are too weak. Surely, we want to avoid logical omniscience. On the other hand, we are interested in having epistemic logics which are strong enough to allow sufficiently many conclusions from a given set of facts we know about the agent's propositional attitudes. We want to have agents who do know at least a (sufficiently) large class of logical truths, and can draw sufficiently many conclusions from their knowledge. This is the dilemma on logical omniscience on the one side and logical ignorance on the other side. That is why I ask the question before: what is left from epistemic logic if we deny the validity of the axiom K or of the congruence rule and stronger principles? What we need is something between two extremes. Can we have some reasonable thing like that?

My goal is to show that we can solve this dilemma. I shall now

propose another strategy to solve the logical omniscience problem which also solves the problem of logical ignorance. My strategy starts with the observation that the laws of (classical) logic are not sentences about the world, they do not tell us anything about what is the case in the world. If we say that the epistemic agent knows the laws of logic, we do not mean that she knows some facts about the world, but rather that she is able to use these laws to draw conclusions from what she already knows. The laws of logic are what the agent knows implicitly; she does not need to possess them permanently. It suffices if she can recall them when she needs them in order to infer new information from her explicit data base. At a given time the set of logical laws that the agent has in her memory is restricted, and so is the set of logical consequences of all what she knows explicitly. In this way we can achieve a good tradeoff between logical omniscience and logical ignorance: the agent is surely not omniscient with respect to her actual or explicit knowledge, but neither is she logically ignorant. Our task is to find a suitable way to express this idea formally.

3 Dynamizing Epistemic Logic

Let us consider an inference rule, say R . It can be a valid inference rule of classical logic, or some other (non-classical) logic, for example, intuitionist logic, conditional logic or relevant logic. Assume that an agent accepts R as valid and she can use R . What does it mean? In the modal approach we formalize this idea by an axiom saying that the knowledge set of the agent is closed under this rule, that is, if all premises of the rule are known then the conclusion of R is also known. However, as we noted above, it is only true of implicit knowledge. In the context of explicit knowledge it must mean something different. It means rather that, if the agent knows all premises of the rule, and if she perform the inference according to the rule R , then she will know the conclusion. The agent does not know the conclusion automatically, but rather as the result of some action, viz. the (mental) action of performing the corresponding inference. If she does not perform this action, then we cannot require her to know the conclusion, although this conclusion may seem to be an obvious consequences of the sentences under consideration. Especially, a logical axiom can be viewed as an inference rule without any premises. We cannot require the agent to know all axioms automatically and permanently, she must rather carry out some action before she can acquire knowledge of a certain axiom. It is possible that the agent knows all logical truths, but merely in principle. This knowledge is only implicit. Factually she never knows them all at once explicitly.

For formalizing the reasoning actions it is natural to use (a form of) dynamic logic (cf. [13], [9].) Thus, we can add a set of basic actions to the language of epistemic logic. The set of formulae now includes formulae like $[R_i]K_iA$ or $\langle R_i \rangle K_iA$ with the intended meaning: “always after using rule R (or sometimes after using R) the agent i knows A ”. The formalization of the idea that an agent accepts and is able to use an inference rule is straightforward. For example, the idea that the agent i accepts modus ponens can be formalized by the axiom: $K_iA \wedge K_i(A \rightarrow B) \rightarrow \langle MP_i \rangle K_iB$. This axiom says no more than if agent i knows A and she also knows that A implies B , then after a suitable inference step she will know B .

As the axioms can be viewed as special inference rules we can introduce an action corresponding to each agent and each axiom of the basis logic, which describes the ability of the agent to use this axiom in her reasoning. (In general, different agents may have different logics, so that

the sets of basic actions are different for different agents. However, in the paper I assume a set of homogeneous agents, for the sake of simplicity.) By means of the familiar program connectives for dynamic logic (such as composition or iteration) we can formalize the idea that the agent may know the consequences of some sentence which she already knows explicitly, provided that she performs the right reasoning steps. For example, assume that the agent i knows the conjunction of A and $A \rightarrow B$, that is, $K_i(A \wedge (A \rightarrow B))$. In all normal modal systems we can deduce $K_i(A \wedge B)$. However, this inference is not sound for realistic agents. There is no guarantee that the agent will know $A \wedge B$ automatically, as the modal approach suggests. We can only say that *if* the agent reasons correctly, *then* she will know $A \wedge B$. In our concrete case, let CE, CI, MP be the conjunction elimination rule, the conjunction introduction rule, and modus ponens, respectively, and let the symbol “;” denote the composition of actions. We write $(CE;MP;CI)_i$ as an abbreviation for $CE_i;MP_i;CI_i$ (“agent i performs CE, then MP, and then CI”). Then our theorem must be: $K_i(A \wedge (A \rightarrow B)) \rightarrow \langle (CE;MP;CI)_i \rangle K_i(A \wedge B)$, and not $K_i(A \wedge (A \rightarrow B)) \rightarrow K_i(A \wedge B)$ as in the standard modal approach.

In general, suppose that B follows from A in some basis logic (which is accepted by the agent) and that the agent knows A . For explicit knowledge we cannot assume that the agent automatically knows B . Let a proof of B from A be given, where the axioms and inference rules used in the proof are R_1, \dots, R_n (in this order, where the same axiom or inference rule may occur at different places in the sequence.) Then, instead of the monotonicity rule in the standard modal approach we have the axiom: $K_i A \rightarrow \langle (R_1; \dots; R_n)_i \rangle K_i B$. This axiom says that if the agent i performs the sequence of actions corresponding to the rules from R_1 to R_n (in this order) then she may know B under the given circumstances. Whether or not the agent can come to this conclusion depends crucially on her logical ability. In this way we see that the logical omniscience problem can be solved easily in a natural way: we can describe agents whose knowledge may or may not be closed under logical laws. On the other hand we can still say that the agent thinks rationally, that she is not logically ignorant. Theoretically she may produce all logical truths, and all logical consequences of her knowledge, but only if she is interested in doing so, if she has enough time and memory, et cetera.

In the above argumentation we have made an implicit assumption. We have assumed that all premises, once known by the agent, are still

available after the agent performs a reasoning step. In the previous example, if the agent forgets the premise A immediately after using modus ponens, then she cannot apply the conjunction introduction rule to come to the conclusion $A \wedge B$. Thus, we have to postulate that the agent does not forget what she previously knows after performing some reasoning action. This assumption can be formalized using persistence axioms for knowledge, for example, $K_i A \rightarrow [R_i]K_i A$.

Are such persistence axioms reasonable? Only under two conditions. First, the truth value of A should not change over time. If A becomes false after i 's inference using rule R then it is not reasonable to postulating that i still knows A after the use of R . The persistence of A can be achieved if we do not allow temporal indexicals to occur in A : the truth values of objective sentences do not change over time. Second, the truth value of A may not change through the agent's actions. This excludes formulae such that $\neg K_i B$: it is possible that agent i does not know B now, but will know it as a result of her reasoning. In general, a formula in which a knowledge operator occurs essentially negative (i.e., within the scope of an oddnumber of the negation sign) is not a suitable candidate for a persistent one. So, we may assume that persistent formulae are built up from objective formulae, conjunction, disjunction, and the knowledge operators only.

Let us now examine how the ability of the agents to introspect their knowledge can be captured within our dynamic framework. Let PI_i and NI_i be i 's actions of positive and negative introspection, respectively. Consider positive introspection first. Suppose that i knows A . Can we infer that she will know after introspecting her knowledge that she knows A ? Not necessarily! We can assume that i will know that she *previously* knows A , but to support the inference that after her introspection action the agent knows that she knows A we need one more argument, namely that i 's knowledge of A will not be changed through her reasoning actions. We have argued previously that such a persistence axiom is reasonable for a subclass of formulae. Thus, we have the following axiom of positive introspection, which corresponds to the schema 4 in modal epistemic logic: $K_i A \rightarrow \langle PI_i \rangle K_i K_i A$, provided that A is persistent.

The same argumentation can be used to show that the candidate for the negative introspection axiom $\neg K_i A \rightarrow \langle NI_i \rangle K_i \neg K_i A$ is not acceptable. It can happen that after a reasoning step the agent knows something what she did not know previously. If we extend the language to include objective or absolute time, then a statement such as

$\neg K_i^t A \rightarrow \langle NI_i \rangle K_i^{t+1} \neg K_i^t A$ would be absolutely reasonable. However, this issue will not be pursued further in the present paper.

In most cases we do not need to care about what course of actions the agents just carried out; we are only interested in the result of the actions, so to speak. We only need to know that a certain agent has carried out some reasoning steps, and after that she gain certain new information. In this case it is convenient to introduce an auxiliary action F_i with the following intended reading: do any one of the atomic actions (we don't know what action;) repeat the non-deterministic choice finitely many times (at least once, but we don't know how many times!) The action F_i could be interpreted as a course of thought of the agent i . From the viewpoint of dynamic logic: if the set of all atomic actions associated with the agent i and her basis logic is a finite set $\{r_i^1, \dots, r_i^n\}$, then F_i can be viewed as $(r_i^1 \cup r_i^2 \cup \dots \cup r_i^n)^+$, where the symbols \cup and $+$ denote choice and non-zero iteration, respectively. (In dynamic logic another form of iteration is considered, viz. the one that allows for running a program zero time, denoted by $*$. But one can easily extend dynamic logic to include non-zero iteration as well.) The choice of the symbols F_i is not accidental at all: in temporal logic its stands for the operator "Future". It turns out that our auxiliary action behaves in the same manner as the future operator of temporal logic: the operator $\langle F \rangle$ satisfies all the axioms for the minimal temporal logic K_t4 . It is no surprise at all: we know that the minimal temporal logic can be embedded into dynamic logic, and one way to do this is to take the iteration of an action to interpret the future operator. The formal language in which our dynamic epistemic logics are formulated is called L_{DE} and will be defined in the following section.

4 Dynamic Epistemic Logic

Definition 6 (The language of dynamic epistemic logic) Let $Agt = \{1, \dots, n\}$ be a set of n agents and let L_E be the language of epistemic logic as defined in Definition 1. L_{DE} is the least set such that

1. $L_E \subseteq L_{DE}$
2. If $A \in L_{DE}$ then $\neg A \in L_{DE}$
3. If $A \in L_{DE}$ and $B \in L_{DE}$ then $(A \rightarrow B) \in L_{DE}$
4. If $A \in L_{DE}$ then $\langle F_i \rangle A \in L_{DE}$

Conjunction, disjunction and the operator $[F_i]$ dual to $\langle F_i \rangle$ are defined as usual. The formula $\langle F_i \rangle A$ is read: “ A is true after some course of thought of i ”, $[F_i]A$ means “ A is true after any course of thought of i ”. (We could think of $\langle F_i \rangle$ and $[F_i]$ as the modalities “at some future times” and “at all future times” of temporal logic, but now time is subjective time, i.e., agent-dependent, generated by the agent’s actions.) Note that we do not allow the operator $\langle F_i \rangle$ to occur inside the scope of any knowledge operator. The reason is that such expressions are indexicals: they contain temporal indexicals like “next” or “later” implicitly. We want to exclude indexical expressions from our language because they require special treatment, which could be very involved and may obscure more important points.

Definition 7 The sublanguge L_E^+ of L_E is the smallest set of formulae from L_E which contains all objective formulae and is closed under the condition: if $A, B \in L_E^+$ and $i \in Agt$ then $\{(A \wedge B), (A \vee B), K_i A\} \subseteq L_E^+$.

Now we go on to define an axiomatic system for reasoning about the dynamics of knowledge along the lines described in the previous section. We have three groups of axioms: the usual axioms of the propositional calculus, axioms for temporal logic, and axioms governing the interaction between knowledge and reasoning activities.

Definition 8 (The system $DES4_n$) The logic $DES4_n$ (Dynamic-Epistemic $S4_n$) has the following axiom schemata:

PC1. $A \rightarrow (B \rightarrow A)$

- PC2. $(A \rightarrow (B \rightarrow C)) \rightarrow ((A \rightarrow B) \rightarrow (A \rightarrow C))$
- PC3. $(\neg B \rightarrow \neg A) \rightarrow (A \rightarrow B)$
- TL1. $[F_i](A \rightarrow B) \rightarrow ([F_i]A \rightarrow [F_i]B)$
- TL2. $[F_i]A \rightarrow [F_i][F_i]A$
- DE1. $K_i A \wedge K_i(A \rightarrow B) \rightarrow \langle F_i \rangle K_i B$
- DE2. $K_i A \rightarrow A$
- DE3. $K_i A \rightarrow [F_i]K_i A$, provided that $A \in L_E^+$
- DE4. $\langle F_i \rangle K_i(A \rightarrow (B \rightarrow A))$
- DE5. $\langle F_i \rangle K_i((A \rightarrow (B \rightarrow C)) \rightarrow ((A \rightarrow B) \rightarrow (A \rightarrow C)))$
- DE6. $\langle F_i \rangle K_i((\neg B \rightarrow \neg A) \rightarrow (A \rightarrow B))$
- DE7. $\langle F_i \rangle K_i(K_i A \rightarrow A)$
- DE8. $K_i A \rightarrow \langle F_i \rangle K_i K_i A$, provided that $A \in L_E^+$

The rules of inference are:

- R1. Modus ponens: if A and $A \rightarrow B$ are theorems then B is a theorem.
- R2. Necessitation: if A is a theorem then so is $[F_i]A$.

In these axioms and rules, the index i ranges over the whole set Ag_t of agents. The axioms PC1 – PC3 together with the rule R1 axiomatize completely the propositional calculus. Together with TL1, TL2 and R2 they form a complete axiomatization of the minimal temporal logic of transitive time. The axioms DE1 – DE7 describe the dynamics of knowledge. Axiom DE1 says that the agents are capable of using modus ponens. Axiom DE2 is the well-known schema T saying that knowledge entails truth. Axiom DE3 says that agents do not forget what they know when they are reasoning. Axioms DE4 – DE6 state that the agents are able to use the axioms PC1 – PC3 of classical logic in their reasoning. Axiom DE7 says that agents potentially trust their knowledge: when thinking about themselves, they think that what they know must be true (as opposed to what they merely believe.) Finally, DE8 says that

the agents are capable of positive introspection. Of course, only instances of these schemata which are well-formed formulae are allowed.

The notions of a proof, a theorem, and a consistent formula or set of formulae (with respect to the logic DES_{4n}) are defined as usual. The provability relation is denoted $\vdash_{\text{DES}_{4n}}$, where the index may be omitted if no confusion can occur. Moreover, we say that a formula $A \in L_E$ is PC-provable, in symbol $\vdash_{PC} A$, just in case A can be proved using only instances of the schemata PC1 – PC3 (in the sublanguage L_E) and modus ponens.

Of course, we can postulate that the agents can use further simple tautologies and inference rule in their reasoning. For example, we can include axioms such that $K_i A \wedge K_i B \rightarrow \langle F_i \rangle K_i (A \wedge B)$, or $\langle F_i \rangle K_i (A \vee \neg A)$. However, this is not necessary at all, as the following theorem shows. Instead of the necessitation rule and monotony rule in modal epistemic logic we have now a theorem stating that the agents *can* know all classical theorems and *can* draw all consequences of what they know, *provided that* they perform the right reasoning.

Theorem 9 Let A, B be objective formulae. The following inference rules are provable in DES_{4n} :

- R3. If $\vdash_{PC} A$ then $\vdash_{\text{DES}_{4n}} \langle F_i \rangle K_i A$.
- R4. If $\vdash_{PC} A \rightarrow B$ then $\vdash_{\text{DES}_{4n}} K_i A \rightarrow \langle F_i \rangle K_i B$.

Proof See the appendix.

Corollary 10 Assume that A, B are objective formulae. The following formulae are theorems of DES_{4n} :

1. $K_i B \rightarrow \langle F_i \rangle K_i (A \rightarrow B)$
2. $K_i (A \wedge B) \rightarrow \langle F_i \rangle K_i A$
3. $K_i (A \wedge B) \rightarrow \langle F_i \rangle K_i A \wedge \langle F_i \rangle K_i B$
4. $K_i A \rightarrow \langle F_i \rangle K_i (A \vee B)$
5. $K_i A \vee K_i B \rightarrow \langle F_i \rangle K_i (A \vee B)$
6. $K_i \neg \neg A \rightarrow \langle F_i \rangle K_i A$

In fact, the above rules and theorems are provable for a larger class of formulae, not only for objective ones. The following list comprises some more provable formulae of DES4_n . They say that if all premises of a valid inference rule are known or will be known, then after some steps of reasoning the agents will know the conclusion. We still assume that A and B are objective. We still assume that A and B are objective. Their proofs are found in the appendix.

Theorem 11 The following formulae are theorems of DES4_n :

1. $K_i A \wedge \langle F_i \rangle K_i (A \rightarrow B) \rightarrow \langle F_i \rangle K_i B$
2. $K_i A \wedge K_i B \rightarrow \langle F_i \rangle K_i (A \wedge B)$
3. $K_i A \wedge \langle F_i \rangle K_i B \rightarrow \langle F_i \rangle K_i (A \wedge B)$
4. $K_i (A \wedge B) \rightarrow \langle F_i \rangle (K_i A \wedge K_i B)$

It is obvious that DES4_n solves the logical omniscience problem. Now we define a semantics for our dynamic epistemic logic. Our semantics is a generalization of Kripke semantics for temporal logic. A subjective temporal frame is a structure $\mathcal{F} = (S, R_1, \dots, R_n)$ where S is a non-empty set, the set of states, and for each agent $i \in \text{Agt}$, R_i is a binary relation on S . We assume that each R_i is transitive. A valuation on the frame \mathcal{F} is a function V from S to the powerset of L_{DE} . A model of DES4_n comprises a subjective temporal frame and a valuation such that certain conditions are satisfied. The intended interpretation is that S is the set of possible states of the world at different times, $V(s)$ is the set of all formulae that are true at s , and sR_it means that agent i can reach t from s through her reasoning.

Definition 12 (Models for DES4_n) A DES4_n -model M consists of a subjective temporal frame \mathcal{F} and a valuation V such that the following conditions are satisfied:

1. For all $A \in L_{DE}$ and $s \in S$, $\neg A \in V(s)$ iff $A \notin V(s)$.
2. For all $A, B \in L_{DE}$ and $s \in S$, $(A \rightarrow B) \in V(s)$ iff $A \notin V(s)$ or $B \in V(s)$.
3. For all $A \in L_E$, $i \in \text{Agt}$ and $s \in S$, $\langle F_i \rangle A \in V(s)$ iff there is some $t \in S$ such that sR_it and $A \in V(t)$.

4. For all $A, B \in L_E$, $i \in Agt$ and $s \in S$, if $K_i A, K_i(A \rightarrow B) \in V(s)$ then $K_i B \in V(t)$ for some $t \in S$ such that sR_it .
5. For all $A \in L_E$, $i \in Agt$ and $s \in S$, if $K_i A \in V(s)$ then $A \in V(s)$.
6. For all $A \in L_E^+$, $i \in Agt$ and $s \in S$, if $K_i A \in V(s)$ then $K_i A \in V(t)$ for all $t \in S$ such that sR_it .
7. For all $A, B, C \in L_E$, $i \in Agt$ and $s \in S$ there are some $t_1, t_2, t_3, t_4 \in S$ such that $sR_it_1, sR_it_2, sR_it_3, sR_it_4$ and
 - $K_i(A \rightarrow (B \rightarrow A)) \in V(t_1)$
 - $K_i((A \rightarrow (B \rightarrow C)) \rightarrow ((A \rightarrow B) \rightarrow (A \rightarrow C))) \in V(t_2)$
 - $K_i((\neg B \rightarrow \neg A) \rightarrow (A \rightarrow B)) \in V(t_3)$.
 - $K_i(K_i A \rightarrow A) \in V(t_4)$
8. For all $A \in L_E^+$, $i \in Agt$ and $s \in S$, if $K_i A \in V(s)$ then $K_i K_i A \in V(t)$ for some $t \in S$ such that sR_it .

The requirements like $A \in L_E$ or $A \in L_E^+$ in the above conditions ensure that, e.g. $K_i A \in L_{DE}$. A formula A is said to be true at a state s in a model M , in symbol $M, s \models A$, just in case $A \in V(s)$. It is said to be DES_{4_n} -satisfiable if and only if it is true at some state in some DES_{4_n} -model. We say that A is true in M just in case A is true at all states in M . A is valid (with respect to DES_{4_n} -models) iff it is true in all DES_{4_n} -models.

Given a model M we can define $Inf(i, s) =_{def} \{A \in L_{DE} \mid K_i A \in V(s)\}$. We can interpret $Inf(i, s)$ as agent i 's explicit knowledge (or her information state) at time s : it is the totality of all what this agent knows. From the definition we see that if sR_it then $Inf(i, s) \subseteq Inf(i, t)$, that is, an agent's knowledge always grows over this agent's time. Moreover, we can see that $Inf(i, s)$ needs not be closed under any logical law. It is even possible that $Inf(i, s)$ is empty, that is, agent i knows nothing. In a model M there can be some state s where $Inf(i, s)$ is closed under logical consequence, in other states it is closed under some weaker, possibly incomplete deductive system, and in still other states it is not closed under any logical rule, except for the trivial rules like $A \vdash A$. These are properties of actual knowledge of any realistic agent. Although an agent's knowledge is not deductively closed at a state, we cannot say

that she is not rational: the agent *is* rational, because she can (at least in principle) perform actions to close her knowledge under logical laws. We cannot speak of “resource bounded rationality”, but should rather speak of “resource bounded reasoners”.

The following theorem states that the logic DES4_n is sound and complete with respect to DES4_n -models. In particular, all theorems of the temporal logic K_t4 , including all theorems of the propositional calculus, are DES4_n -valid.

Theorem 13 (Soundness and completeness) A formula A is a theorem of DES4_n if and only if it is valid.

Proof Soundness is quite straightforward: we have only to show that all DES4_n -axioms are valid and the application of the inference rules leads from valid premises to valid consequences. We omit the details. Completeness is shown in the appendix.

5 Discussions

We have shown how to solve the logical omniscience problem of epistemic logic while preserving the intuition that the agents *are* logical, rational beings. Our strategy consists in taking the dynamic aspect of knowledge into account. We have argued that the correct form of an axiom for epistemic should be: if an agent knows all premisses of a valid inference rule, and if she performs the right reasoning, then she will know the conclusion as well. This intuitive idea has been captured formally within an axiomatic system, and the calculus has been given an adequate semantics. Our strategy can do justice to the intuition that the agents are neither logically omniscient nor logically ignorant. They are non-omniscient, because their actual (or explicit) knowledge at a single time point needs not be closed under any law. It is even possible that they do not know any logical truth at all at some of their information states. On the other hand, they are non-ignorant, because they are capable of logical thinking. They can use their reasoning capacities to infer new information from what they already know. Their rationality is not restricted by any artificial, ad hoc postulate saying that their inference mechanisms are incomplete. If an agent performs the correct inferences and if she has enough time, then she might arrive at an ideal information state where all logical consequences of her current beliefs have been drawn. This ideal state can never be achieved by real agents, but this is another matter.

To my knowledge, there exists no similar work in the literature which pursues the strategy of dynamizing epistemic logic in order to solve the dilemma of logical omniscience and logical ignorance. Most close to my approach are perhaps works on “parametrized epistemic logic”, proposed e.g. by Stelzner ([24],) where knowledge is time (agent, context ...) dependent. However, in his formal systems Stelzner does not consider the concepts of knowledge and belief, but a related concept, the concept of a (hypothetical) obligation to defend some sentence. The latter concept is related to the former in the following way: in a rational discourse, if an agent asserts some sentence, then she has the obligation to defend it when it is challenged, because she has made public through her assertion that she believes in the sentence. Stelzner investigates axioms to describe agents in a rational discourse. These axioms say, for example, that if an agent is obligated to defend A at t and B can be inferred from A by one inference step, then the agent can be obligated to defend B at

time $t + 1$. (A time line isomorph to the natural numbers, generated by the consecutive “moves” in the discourse, is assumed. The obligation to defend B is only hypothetical, because it does not arise if B is not challenged.) With the aid of such axioms one can classify agents according to their rationality. Stelzner’s logic could be reinterpreted as formalizing the concept of implicit, or possible knowledge, but not the concept of explicit, or actual knowledge: a statement such as $K_i^t(A \wedge B) \rightarrow K_i^{t+1}A$ is perhaps more acceptable than the axiom $K_i^t(A \wedge B) \rightarrow K_i^t(A)$, but it is still a too strong requirements for the notion of actual knowledge. In contrast, I have tried to show how the concept of actual knowledge can be captured.

In the literature on belief revision some authors have considered belief-changing actions. For example, Van Linder, van der Hoek and Meyer ([20], [21]) have done some work to formalize the change of knowledge through actions. However, they made very strong assumptions about knowledge: their agents are logically omniscient. The actions they consider lead from one deductively closed belief set to another. Thus, their work should be read in terms of information dynamics, and not knowledge dynamics.

We can develop variants of $DES4_n$ to describe different sorts of agents. For instance, we could modify the axiom system to formalize the concept of belief. We can base epistemic logic on another, nonclassical logic. We could also add some more axioms or drop some of the axioms of $DES4_n$. How to do it concretely depends crucially on our intended application. At the moment we are working to integrate our dynamic epistemic logic into a framework for reasoning about actions in multi-agent systems.

Another open issue is to find a way to incorporate indexical knowledge in our framework. We have so far ignored this issue and exclude indexical expressions from our language. However, for many applications we must be able to treat indexical knowledge adequately. Some work has been done on this issue, e.g. by Lespérance and Levesque ([18].) However, their and related works should be seen as dealing with indexical information (or indexical possible knowledge), and not with genuine indexical knowledge, for the reasons explained earlier. Thus, much work still remains to be done.

So far our logic has been monotonic in two aspects. First, the consequence operation of $DES4_n$ is monotonic. Second, the knowledge of the agents always grows over time. A very interesting, still open problem is to develop dynamic epistemic logics based on non-monotonic logic,

where the agents can revise their knowledge when they find out that their knowledge is inconsistent. We may expect to find interesting connections with two other, very active fields of AI research, viz. to non-monotonic reasoning and to the logic of belief revision. This seems to be a promising field of research and needs further investigations.

References

- [1] J. Barwise. Three views of common knowledge. In *The Situation in Logic*. CSLI, Stanford, 1989.
- [2] B. Chellas. *Modal Logic. An Introduction*. Cambridge UP, Cambridge, 1980.
- [3] H. N. Duc. Ein system der epistemischen logik. In W. Stelzner, editor, *Philosophie und Logik. Frege-Kolloquien Jena 1989/1991*, pages 205–214, Berlin and New York, 1993. Walter de Gruyter.
- [4] H. N. Duc. Logical omniscience vs. logical ignorance. On a dilemma of epistemic logic. In C. P. Pereira and N. Mamede, editors, *Progress in Artificial Intelligence. Proceedings of EPIA '95*, volume 990 of *LNAI*, pages 237–248, Heidelberg, 1995. Springer Verlag.
- [5] H. N. Duc. Reasoning about rational, but not logically omniscient agents (extended abstract). In D. Gabbay and H-J. Ohlbach, editors, *Proceedings of the FAPR*, LNAI, Heidelberg, 1996. Springer Verlag.
- [6] R. Eberle. A logic of believing, knowing and inferring. *Synthese*, 26:356–382, 1974.
- [7] R. Fagin and J. Y. Halpern. Belief, awareness and limited reasoning. *Artificial Intelligence*, 34:39–76, 1988.
- [8] R. Fagin, J. Y. Halpern, Y. Moses, and M. Y. Vardi. *Reasoning about Knowledge*. MIT Press, Cambridge, Mass., 1995.
- [9] R. Goldblatt. *Logics of Time and Computation*. CSLI, Stanford, 1987.
- [10] J. Y. Halpern. Reasoning about knowledge: An overview. In J. Y. Halpern, editor, *Proceedings of the 1986 Conference on Theoretical Aspects of Reasoning About Knowledge*, pages 1–18. Morgan Kaufman, 1986.
- [11] J. Y. Halpern. Using reasoning about knowledge to analyze distributed systems. *Annual Review of Computer Science*, 2:37–68, 1987.

- [12] J. Y. Halpern and Y. Moses. A guide to completeness and complexity for modal logics of knowledge and belief. *Artificial Intelligence*, 54:319–379, 1992.
- [13] D. Harel. Dynamic logic. In D. Gabbay and F. Guenther, editors, *Handbook of Philosophical Logic*, volume II, pages 497–604. Reidel, Dordrecht, 1984.
- [14] J. Hintikka. *Knowledge and Belief*. Cornell UP, Ithaca, New York, 1962.
- [15] J. Hintikka. Impossible possible worlds vindicated. *Journal of Philosophical Logic*, 4:475–484, 1975.
- [16] M. Hocutt. Is epistemic logic possible? *Notre Dame Journal of Formal Logic*, 13:433–453, 1972.
- [17] K. Konolige. *A Deduction Model of Belief*. Pitman Publishing, London, 1986.
- [18] Y. Lespérance and H. Levesque. Indexical knowledge and robot action—a logical account. *Artificial Intelligence*, 73:69–115, 1995.
- [19] H. Levesque. A logic of implicit and explicit belief. In *Proceedings AAAI-84*, pages 198–202, Austin, TX, 1984.
- [20] B. van Linder, W. van der Hoek, and J.-J. Ch. Meyer. Actions that make you change your mind: Belief revision in an agent-oriented setting. Technical Report UU-CS-1994-53, Utrecht University, December 1994.
- [21] B. van Linder, W. van der Hoek, and J.-J. Ch. Meyer. The dynamics of default reasoning (extended abstract). In C. Froidevaux and J. Kohlas, editors, *Symbolic and Quantitative Approaches to Reasoning and Uncertainty (Proceedings of ECSQARU'95)*, volume 946 of *Lecture Notes in Computer Science (subseries LNAI)*, pages 277–284. Springer-Verlag, 1995.
- [22] V. Rantala. Impossible worlds semantics and logical omniscience. *Acta Philosophica Fennica*, 35:18–24, 1982.
- [23] P. Steinacker. *Superschwache Modalkalküle und einige epistemische Anwendungen*. PhD thesis, Universität Leipzig, 1979.

- [24] W. Stelzner. *Epistemische Logik*. Akademie-Verlag, Berlin, 1984.
- [25] K. Wuttich. *Glauben, Zweifel, Wissen. Eine logisch-philosophische Studie*. Akademie-Verlag, Berlin, 1991.

A Formal Proofs

A.1 Proof of Theorem 9

First, note that $[F_i]A \wedge \langle F_i \rangle B \rightarrow \langle F_i \rangle (A \wedge B)$ and $\langle F_i \rangle \langle F_i \rangle A \rightarrow \langle F_i \rangle A$ are DES_{4_n} -provable. Moreover, if $A \rightarrow B$ is DES_{4_n} -theorem then so is $\langle F_i \rangle A \rightarrow \langle F_i \rangle B$. We shall make extensive use of these facts in our proof without mentioning them explicitly. To shorten the proofs we assume that all theorems and rules of PC and K_t4 have been derived, so we do not have to write them down explicitly.

Consider rule R3. Let $\vdash_{PC} A$. We show $\vdash_{\text{DES}_{4_n}} \langle F_i \rangle K_i A$ by induction on the length m of the proof of A . If $m = 1$ then A must be an instance of one of the axiom schemata PC1–PC3. The claim follows from DE4–DE6. If $m > 1$ then A must be obtained by applying modus ponens from, say, B and $B \rightarrow A$, which are PC-provable in less than m steps. So we assume that there is a PC-proof of A of length m where in the k -th and l -th lines we had proved B and $B \rightarrow A$. The PC-proof of A can be extended to a DES_{4_n} -proof of $K_i A$ as follows:

(k)	B	Ass.
(l)	$B \rightarrow A$	Ass.
(m)	A	(k), (l), R1
(m+1)	$\langle F_i \rangle K_i B$	Ind. Hyp., (k)
(m+2)	$[F_i] \langle F_i \rangle K_i B$	(m+1), R2
(m+3)	$\langle F_i \rangle K_i (B \rightarrow A)$	Ind. Hyp., (l)
(m+4)	$K_i (B \rightarrow A) \rightarrow [F_i] K_i (B \rightarrow A)$	DE3
(m+5)	$\langle F_i \rangle [F_i] K_i (B \rightarrow A)$	(m+3), (m+4)
(m+6)	$\langle F_i \rangle (\langle F_i \rangle K_i B \wedge [F_i] K_i (B \rightarrow A))$	(m+2), (m+5)
(m+7)	$\langle F_i \rangle \langle F_i \rangle (K_i B \wedge K_i (B \rightarrow A))$	(m+6)
(m+8)	$\langle F_i \rangle \langle F_i \rangle \langle F_i \rangle K_i A$	(m+7), DE1
(m+9)	$\langle F_i \rangle K_i A$	(m+8)

Rule R4 can now be proved as follows:

(1)	$A \rightarrow B$	Ass.
(2)	$K_i A$	Ass.
(3)	$\langle F_i \rangle K_i (A \rightarrow B)$	(1), R3
(4)	$[F_i] K_i A$	DE3, (2)
(5)	$\langle F_i \rangle (K_i (A \rightarrow B) \wedge K_i A)$	(3), (4)
(6)	$\langle F_i \rangle \langle F_i \rangle K_i B$	(5), DE1
(7)	$\langle F_i \rangle K_i B$	(6)
(8)	$K_i A \rightarrow \langle F_i \rangle K_i B$	(2), (7)

A.2 Proof of Theorem 11

1. $K_i A \wedge \langle F_i \rangle K_i (A \rightarrow B) \rightarrow \langle F_i \rangle K_i B$

(1)	$K_i A$	Ass.
(2)	$\langle F_i \rangle K_i (A \rightarrow B)$	Ass.
(3)	$[F_i] K_i A$	DE3, (1)
(4)	$\langle F_i \rangle (K_i (A \rightarrow B) \wedge K_i A)$	(2), (3)
(5)	$\langle F_i \rangle \langle F_i \rangle K_i B$	(4), DE1
(6)	$\langle F_i \rangle K_i B$	(5)

2. $K_i A \wedge K_i B \rightarrow \langle F_i \rangle K_i (A \wedge B)$

(1)	$K_i A$	Ass.
(2)	$K_i B$	Ass.
(3)	$[F_i] K_i A$	DE3, (1)
(4)	$[F_i] K_i B$	DE3, (2)
(5)	$\langle F_i \rangle K_i (A \rightarrow (B \rightarrow (A \wedge B)))$	R3
(6)	$\langle F_i \rangle (K_i A \wedge K_i (A \rightarrow (B \rightarrow (A \wedge B))))$	(3), (5)
(7)	$\langle F_i \rangle K_i (B \rightarrow (A \wedge B))$	(6), DE1
(8)	$\langle F_i \rangle (K_i B \wedge K_i (B \rightarrow (A \wedge B)))$	(4), (7)
(9)	$\langle F_i \rangle K_i (A \wedge B)$	(8)

3. $K_i A \wedge \langle F_i \rangle K_i B \rightarrow \langle F_i \rangle K_i (A \wedge B)$

(1)	$K_i A$	Ass.
(2)	$\langle F_i \rangle K_i B$	Ass.
(3)	$[F_i] K_i A$	DE3, (1)
(4)	$\langle F_i \rangle (K_i A \wedge K_i B)$	(3), (2)

4. $K_i(A \wedge B) \rightarrow \langle F_i \rangle (K_i A \wedge K_i B)$	
(1) $K_i(A \wedge B)$	Ass.
(2) $\langle F_i \rangle K_i A$	(1), R4
(3) $\langle F_i \rangle [F_i] K_i A$	(2), DE3
(4) $[F_i] K_i(A \wedge B)$	(1), DE3
(5) $[F_i] \langle F_i \rangle K_i B$	(4), R4
(6) $\langle F_i \rangle ([F_i] K_i A \wedge \langle F_i \rangle K_i B)$	(3), (5)
(7) $\langle F_i \rangle \langle F_i \rangle (K_i A \wedge K_i B)$	(6)
(8) $\langle F_i \rangle (K_i A \wedge K_i B)$	(7)

A.3 Proof of Theorem 13

The completeness theorem follows directly from the following lemma.

Lemma 14 (Satisfiability lemma) Every consistent set of formulae is satisfiable.

Proof Assume that the set X is consistent. We show that it has a model, i.e., that it is satisfiable. We define a model for X as follows. By the standard Lindenbaum argument, X is contained in a maximal consistent set. Let M be the following structure: $M = ((S, R_1, \dots, R_n), V)$ where

- S is the set of (DES_{4_n}-)maximal consistent sets of formulae.
- sR_it if and only if $\langle F_i \rangle A \in s$ whenever $A \in t$ (if and only if $A \in t$ whenever $[F_i]A \in s$).
- $V(s) = s$

We show that M is a DES_{4_n}-model. First, we show that (S, R_1, \dots, R_n) is a transitive subjective temporal frame. Let $i \in \{1, \dots, n\}$. Assume that sR_it and tR_iu , and let $A \in u$. From tR_iu we have $\langle F_i \rangle A \in t$, therefore $\langle F_i \rangle \langle F_i \rangle A \in s$, because sR_it . By axiom TL2 we can infer $\langle F_i \rangle A \in s$, hence sR_iu , i.e., R_i is transitive.

Next, we prove that all conditions of Definition 12 are satisfied.

1. $\neg A \in V(s)$ iff $A \notin V(s)$, because $V(s) = s$ is maximally consistent.
2. $(A \rightarrow B) \in V(s)$ iff $A \notin V(s)$ or $B \in V(s)$, by maximal consistency of $V(s) = s$.

3. Assume that $\langle F_i \rangle A \in V(s)$. We show that there is some t such that sR_it and $A \in V(t)$. It suffices to show that the set $Y = \{A\} \cup \{B : [F_i]B \in s\}$ is consistent. Assume that Y is inconsistent. In this case there must be some B_1, \dots, B_m such that $[F_i]B_k \in s$ and $\neg(A \wedge B_1 \wedge \dots \wedge B_m)$ is provable. It follows that $(B_1 \wedge \dots \wedge B_m) \rightarrow \neg A$ is provable. By the rule of necessation (R1) and the distribution axiom (TL1), $([F_i]B_1 \wedge \dots \wedge [F_i]B_m) \rightarrow [F_i]\neg A$ is provable, so this formula belongs to s . It follows that $[F_i]\neg A \in s$, contradicting the assumption that $\langle F_i \rangle A \in s$. Thus, Y is consistent. Let t be any maximal consistent extension of Y . Then sR_it by definition of R_i , and $B \in t$.

Conversely, let us assume that there is some $t \in S$ such that sR_it and $A \in V(t)$. We show that $\langle F_i \rangle A \in V(s)$. But this is trivial, by definition of R_i .

4. Now let $K_iA \in V(s)$ and $K_i(A \rightarrow B) \in V(s)$. We show that $K_iB \in V(t)$ for some t such that sR_it . By maximality of s all theorems of DES4_n belong to s , thus $(K_iA \wedge K_i(A \rightarrow B)) \rightarrow \langle F_i \rangle K_iB \in s$. But $V(s) = s$, so $K_iA \in s$ and $K_i(A \rightarrow B) \in s$. It follows that $\langle F_i \rangle K_iB \in s$, therefore there must be some t such that sR_it and $K_iB \in t$, i.e., $K_iB \in V(t)$.
5. Assume that $K_iA \in V(s)$. As $K_iA \rightarrow A$ is an axiom it must belong to s , thus $A \in s$, i.e., $A \in V(s)$.
6. Suppose that $K_iA \in V(s)$ and sR_it . We show that $K_iA \in V(t)$. By definition of V we have $K_iA \in s$. As $K_iA \rightarrow [F_i]K_iA$ is an axiom it must belong to s , thus $[F_i]K_iA \in s$. It follows by the definition of R_i that $K_iA \in t$, therefore $K_iA \in V(t)$.
7. Let $s \in S$. As the axioms DE4–DE7 belong to $V(s) = s$ there must be some $t_1, t_2, t_3, t_4 \in S$ such that $sR_it_1, sR_it_2, sR_it_3, sR_it_4$ and

- $K_i(A \rightarrow (B \rightarrow A)) \in t_1$
- $K_i((A \rightarrow (B \rightarrow C)) \rightarrow ((A \rightarrow B) \rightarrow (A \rightarrow C))) \in t_2$
- $K_i((\neg B \rightarrow \neg A) \rightarrow (A \rightarrow B)) \in t_3$.
- $K_i(K_iA \rightarrow A) \in t_4$

The claim follows from the fact that $V(t_j) = t_j$ for $j = 1, \dots, 4$.

8. Finally, assume that $K_i A \in V(s)$, i.e., $K_i A \in s$. By maximality of s , the axiom schema DE8 belongs to s , therefore $\langle F_i \rangle K_i K_i A \in s$. It follows that $K_i K_i A \in t$, i.e., $K_i K_i A \in V(t)$ for some $t \in S$ such that $s R_i t$.

Thus, the canonical model M is a DES_{4n} -model. If X is a consistent set then all formulae of X are satisfied at a state of the canonical model, which is a maximal consistent extension of X , i.e., X has a model.

Erklärung

Hiermit erkläre ich, daß ich die Arbeit selbständig verfaßt und andere als die hier angegebenen Quellen nicht benutzt habe.

Leipzig, April 1996

Ho Ngoc Duc

Danksagung

Ich möchte an dieser Stelle besonders Herrn Prof. Dr. Heinrich Herre danken, der mich jahrelang hervorragend betreut hat.

Ich hatte die Gelegenheit, mit verschiedenen Leuten über den Gegenstand meiner Forschung zu diskutieren. Diese Diskussionen haben mir sehr geholfen, die Probleme klarer zu fassen und diese Arbeit besser zu gestalten. All diesen Diskussionspartnern bin ich sehr dankbar. An dieser Stelle möchte ich besonders die Herren Dr. Peter Steinacker, Prof. Werner Stelzner, Prof. Siegfried Gottwald und Dr. Heinrich Wansing hervorheben.

Den anonymen Gutachtern der beiden Konferenzen EPIA'95 und FAPR-96 danke ich für ihre konstruktiven Hinweise.